## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **LISTING OF CLAIMS:**

- 1. (Original) A thermoplastic resin composition, prepared by compounding 100 parts by weight of (A) a thermoplastic resin which does not form an anisotropic melt phase, 15 to 45 parts by weight of (B) a liquid crystalline polymer which can form an anisotropic melt phase, (C) a flame-retardant component comprising 5 to 20 parts by weight of (C-1) a phosphor-based flame-retardant and 1 to 15 parts by weight of (C-2) a silicone rubber, and 10 to 80 parts by weight of (D) a filler, wherein a ratio (C-1)/(C-2) ranges from 1 to 2.
- 2. (Original) The thermoplastic resin composition according to Claim 1, wherein (C-1) the phosphor-based flame-retardant is a phosphate ester represented by the following formula (1):

$$\mathbb{R}^{1}O - \mathbb{P} = \begin{bmatrix} O & O & O \\ II & O & II \\ O & O & O \\ O & O & O \end{bmatrix} O \mathbb{R}^{4}$$
 (1)

(wherein  $R^1$  to  $R^4$  are each an aryl group which may have a substituent group;  $Z^1$  is a divalent aromatic group; and p is an integer of 1 to 5).

Attorney's Docket No. <u>1009760-000029</u> Application No. <u>Unassigned</u>

Page 4

3. (Currently Amended) The thermoplastic resin composition according to Claim 1-or-2, wherein (C-2) the silicone rubber is a silicone rubber formed by cross-linking organopolysiloxane.

- 4. (Currently Amended) The thermoplastic resin composition according to any one of Claims 1 to 3, Claim 1, wherein (C-2) the silicone rubber has an average particle diameter ranging from 1 to 20 μm.
- 5. (Currently Amended) The thermoplastic resin composition according to any one of Claims 1 to 4, Claim 1, further compounding 0.1 to 1 part by weight of (E) a dispersing agent relative to 100 parts by weight of (A) the thermoplastic resin.
- 6. (Original) The thermoplastic resin composition according to Claim 5, wherein (E) the dispersing agent is a phosphorus oxo acid monoester or a phosphorus oxo acid diester.
- 7. (Currently Amended) The thermoplastic resin composition according to any one of Claims 1 to 6, Claim 1, wherein (A) the thermoplastic resin is a polycarbonate resin.
- 8. (Currently Amended) The thermoplastic resin composition according to any one of Claims 1 to 7, Claim 1, further compounding 0.1 to 1 part by weight of (F) a fluorine-based resin relative to 100 parts by weight of (A) the thermoplastic resin.

Attorney's Docket No. <u>1009760-000029</u> Application No. <u>Unassigned</u>

Page 5

- 9. (Currently Amended) The thermoplastic resin composition according to any one of Claims 1 to 8, Claim 1, wherein at least one of (D) the filler is a glass fiber.
- 10. (Currently Amended) An injection-molded article comprising the thermoplastic resin composition according to any one of Claims 1 to 9. Claim 1.

- 11. (Currently Amended) An injection-molded article for a thin-walled housing comprising the thermoplastic resin composition according to any one of Claims 1 to 9. Claim 1.
- 12. (New) The thermoplastic resin composition according to Claim 2, wherein (C-2) the silicone rubber is a silicone rubber formed by cross-linking organopolysiloxane.
- 13. (New) The thermoplastic resin composition according to Claim 2, wherein (C-2) the silicone rubber has an average particle diameter ranging from 1 to 20 μm.
- 14. (New) The thermoplastic resin composition according to Claim 3,wherein (C-2) the silicone rubber has an average particle diameter ranging from 1 to20 μm.

Attorney's Docket No. 1009760-000029

Application No. <u>Unassigned</u>

Page 6

15. (New) The thermoplastic resin composition according to Claim 2, further compounding 0.1 to 1 part by weight of (E) a dispersing agent relative to 100 parts by weight of (A) the thermoplastic resin.

16. (New) The thermoplastic resin composition according to Claim 2, wherein (A) the thermoplastic resin is a polycarbonate resin.

- 17. (New) The thermoplastic resin composition according to Claim 2, further compounding 0.1 to 1 part by weight of (F) a fluorine-based resin relative to 100 parts by weight of (A) the thermoplastic resin.
- 18. (New) The thermoplastic resin composition according to Claim 2, wherein at least one of (D) the filler is a glass fiber.
- 19. (New) An injection-molded article comprising the thermoplastic resin composition according to Claim 2.
- 20. (New) An injection-molded article for a thin-walled housing comprising the thermoplastic resin composition according to Claim 2.